



## ALADDIN AUTOVENT

The Aladdin Autovent automatically vents (deaerates) radiators and towel rails, alleviating the need to manually vent, ideal for new installations or retrofitted to existing systems.

Suitable for all radiator makes and sizes, we offer a full range of Autovents from 5mm – 1/2", providing a leak proof Auto-venting System, No more unnecessary call-outs, No more removing radiator covers to vent, extended system life, reduced running costs, reduced noise levels.

Guaranteed leak-free for life – failsafe close

5-Years Manufacturer's Warranty – (Replacement cartridge variables available)

## Unique Selling Points:

Automatically vents (deaerates) radiators & towel rails

Keeps radiators hot to the top

Improves heat output, saves energy

Reduces noise

Reduces corrosion

Extends system life

Prevents unnecessary engineer call outs

Prevents the need to remove radiator covers

Saves hundreds of pounds on initial install (no manual venting)

Ideal for new and existing systems

Easily retrofitted

Replaceable cartridge for ease of maintenance

Leak resistant – failsafe close safety feature

5-Year manufacturers guarantee





## ALADDIN AUTOVENT RANGE



HV30C

### HV30C ALADDIN AUTOVENT

1/2" BSP Self-venting radiator valve  
(Replaceable cartridge)

15.5mm (H) x 25.4mm (A/F)



HV30C CARTRIDGE

### HV30C ALADDIN AUTOVENT CARTRIDGE

Replacement cartridge (To suit HV30C)

14.8mm (H) x 12.8mm (Ø)



HV30

### HV30 ALADDIN AUTOVENT

1/2" BSP Self-venting radiator valve

13mm (H) x 25.4mm (A/F)



HV30 UFH

### HV30 UFH (BRASS) ALADDIN AUTOVENT

1/2" BSP Self-venting Underfloor Heating valve

13mm (H) x 25.4mm (A/F)



HV30C + BP

### HV30C + BP ALADDIN AUTOVENT + BLANKING PLUG

1/2" Self-venting radiator valve & matching Blanking Plug

13mm (H) x 25.4mm (A/F) - Blanking plug

15.5mm (H) x 25.4mm (A/F) - HV30C



HV30 + BP

### HV30 + BP ALADDIN AUTOVENT + BLANKING PLUG

1/2" Self-venting radiator valve & matching Blanking Plug

13mm (H) x 25.4mm (A/F) - Blanking plug

13mm (H) x 25.4mm (A/F) – HV30



HV30C LT

### HV30C LT (LOW TEMP) ALADDIN AUTOVENT

1/2" BSP Self-venting radiator valve  
(Replaceable cartridge)

15.5mm (H) x 25.4mm (A/F)



HV30C LT CARTRIDGE

### HV30C LT (LOW TEMP) ALADDIN AUTOVENT CARTRIDGE

Replacement cartridge (To suit HV30CLT)

14.8mm (H) x 12.8mm (Ø)



HV30-LT-1

### HV30 LT (LOW TEMP) ALADDIN AUTOVENT

1/2" BSP Self-venting radiator valve

13mm (H) x 25.4mm (A/F)



MICRO-1/8-1/4

### MICRO 1/8-1/4 ALADDIN AUTOVENT

1/8" – 1/4" Self-venting radiator valve

21.0mm (H) x 15.6mm (Ø) (Without bush)

25.4mm (H) x 15.6mm (Ø) (With 1/4" bush)



MICRO-1/8-1/4-LT

**MICRO 1/8-1/4 LT (LOW TEMP) ALADDIN AUTOVENT**

1/8" – 1/4" Self-venting radiator valve

21.0mm (H) x 15.6mm (Ø) (Without bush)  
25.4mm (H) x 15.6mm (Ø) (With 1/4" bush)



MICRO-BARLO-5MM

**MICRO BARLO 5MM (1/16") ALADDIN AUTOVENT**

5mm (1/16") Barlo Self-venting radiator valve

28mm (H) x 15.6mm (Ø)



MICRO-BARLO

**MICRO BARLO 6MM ALADDIN AUTOVENT**

6mm Barlo Self-venting radiator valve

28mm (H) x 15.6mm (Ø)



MICRO-6MM

**MICRO 6MM ALADDIN AUTOVENT**

6mm Self-venting radiator valve

20mm (H) x 15.6mm (Ø)



MICRO-7MM

**MICRO 7MM ALADDIN AUTOVENT**

7mm Self-venting radiator valve

20mm (H) x 15.6mm (Ø)